


Cell type : 38120P

Capacity : 8AH


No.	Cycle	Step.	Mode	Step Time (Sec.)	Time (Sec.)	Current (A)	Voltage (V)	Voltage1 (V)
1	1	1	CC	0	0	0	3.35	3.35
2	1	1	CC	1	1	200	2.38	2.38
3	1	1	CC	2	2	200	2.36	2.36
4	1	1	CC	3	3	200	2.35	2.35
5	1	1	CC	4	4	200	2.33	2.33
6	1	1	CC	5	5	200	2.3	2.3
7	1	1	CC	6	6	200	2.29	2.29
8	1	1	CC	7	7	200	2.29	2.29
9	1	1	CC	8	8	200	2.26	2.26
10	1	1	CC	9	9	200	2.27	2.27
11	1	1	CC	10	10	200	2.26	2.26
12	1	1	CC	11	11	200	2.26	2.26



No:29647  
Ir before  
Discharge  
Room Temp.  
Cell Temp.

No.	Cycle	Step.	Mode	Step Time (sec)	Time	Current (A)	Voltage (V)	Voltage1 (V)
1	1	1	CC	0	0	0	3.31	3.31
2	1	1	CC	20	20	40	3.06	3.06
3	1	1	CC	40	40	40	3.04	3.04
4	1	1	CC	60	60	40	3.03	3.03
5	1	1	CC	80	80	40	3.04	3.04
6	1	1	CC	100	100	40	3.04	3.04
7	1	1	CC	120	120	40	3.02	3.02
8	1	1	CC	140	140	40	3.04	3.04
9	1	1	CC	160	160	40	3.03	3.03
10	1	1	CC	180	180	40	3.04	3.04
11	1	1	CC	200	200	40	3.04	3.04
12	1	1	CC	220	220	40	3.03	3.03
13	1	1	CC	240	240	40	3.02	3.02
14	1	1	CC	260	260	40	3.03	3.03
15	1	1	CC	280	280	40	3.02	3.02
16	1	1	CC	300	300	40	3.01	3.01
17	1	1	CC	320	320	40	3.01	3.01
18	1	1	CC	340	340	40	3.01	3.01
19	1	1	CC	360	360	40	2.99	2.99
20	1	1	CC	380	380	40	3	3
21	1	1	CC	400	400	40	2.99	2.99
22	1	1	CC	420	420	40	2.97	2.97
23	1	1	CC	440	440	40	2.96	2.96
24	1	1	CC	460	460	40	2.96	2.96
25	1	1	CC	480	480	40	2.94	2.94
26	1	1	CC	500	500	40	2.92	2.92
27	1	1	CC	520	520	40	2.92	2.92
28	1	1	CC	540	540	40	2.89	2.89
29	1	1	CC	560	560	40	2.88	2.88
30	1	1	CC	580	580	40	2.86	2.86
31	1	1	CC	600	600	40	2.82	2.82
32	1	1	CC	620	620	40	2.8	2.8
33	1	1	CC	640	640	40	2.76	2.76

34	1	1	CC	660	660	40	2.71	2.71
35	1	1	CC	680	680	40	2.67	2.67
36	1	1	CC	700	700	40	2.6	2.6
37	1	1	CC	720	720	40	2.48	2.48
38	1	1	CC	740	740	40	2.26	2.26
39	1	1	CC	753	753	40	1.99	1.99



No. :29647      Lot:  
 Ir after discharge:  
 Discharge time :753 s  
 Room Temp. :32°C  
 Cell Temp. :37-57°C

Lot. :IC15  
discharge :3.5mΩ  
time :11sec.  
:32°C  
:37°C



: IC15  
3.6mΩ  
sec.